

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| S1 | 127 | (fluoropolymer fluoro resin fluoroelastomer) and bisphenol near3 (curing cross\$1link\$3) near3 (agent catalyst) and (heat\$3 thermal\$4 (low near3 temperature)) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 08:34 |
| S2 | 128 | (fluoropolymer fluoro resin fluoroelastomer) and bisphenol near3 (curing cross\$1link\$3) near3 (agent catalyst) and (oven heat\$3 thermal\$4 (low near3 temperature)) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:09 |
| S3 | 68 | (fluoropolymer fluoro resin fluoroelastomer) and bisphenol near3 (curing cross\$1link\$3) near3 (agent catalyst) and ("25" "120" "100" (low near3 temperature)) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:11 |
| S4 | 27 | (fluoropolymer fluoro resin fluoroelastomer) and bisphenol near3 (curing cross\$1link\$3) near3 (agent catalyst) and ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:23 |
| S5 | 10 | (fluoropolymer fluoro resin fluoroelastomer viton THv (vinyliden near fluoride) hexafluoropropylene) and bisphenol near3 (curing cross\$1link\$3) near3 (agent catalyst) and aminosiloxane and ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:22 |
| S6 | 10 | (fluoropolymer fluoro resin fluoroelastomer viton THv (vinyliden near fluoride) hexafluoropropylene) and bisphenol and aminosiloxane and ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:21 |
| S7 | 205 | (fluoropolymer fluoro resin fluoroelastomer viton THv (vinyliden near fluoride) hexafluoropropylene) and bisphenol and ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:21 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S8 | 121 | (fluoropolymer fluoro resin fluoroelastomer viton THv (vinyliden near fluoride) hexafluoropropylene) and bisphenol and amino and ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 09:10 |
| S9 | 23 | (fluoropolymer fluoro resin fluoroelastomer) and bisphenol near3 (curing cross\$1link\$3) near3 (agent catalyst) and amino and ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:37 |
| S10 | 13 | S9 not S6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:24 |
| S11 | 4 | (fluoropolymer fluoro resin fluoroelastomer) and bisphenol near3 (curing cross\$1link\$3) near3 (agent catalyst) and amino near3 (silicone polysiloxane polydimethyl\$1siloxane polyorganosiloxane organopolysiloxane) and ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:39 |
| S12 | 8 | (fluoropolymer fluoro resin fluoroelastomer) and (curing cross\$1link\$3) near3 (agent catalyst) and amino near3 (silicone polysiloxane polydimethyl\$1siloxane polyorganosiloxane organopolysiloxane) and ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:41 |
| S13 | 4 | S12 not S11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:39 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S14 | 0 | (fluoropolymer fluoro resin fluoroelastomer) and (curing cross\$1link\$3) near3 (agent catalyst) near9 amino near3 (silicone polysiloxane polydimethyl\$1siloxane polyorganosiloxane organopolysiloxane) and ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:41 |
| S15 | 3 | (fluoropolymer fluoro resin fluoroelastomer) and (curing cross\$1link\$3) near3 (agent catalyst) near9 amino near3 (silicone polysiloxane polydimethyl\$1siloxane polyorganosiloxane organopolysiloxane) and ("25" "50" "120" "100" (low near3 temperature)) near3 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:44 |
| S16 | 1 | (fluoropolymer fluoro resin fluoroelastomer) and (curing cross\$1link\$3) near9 amino near3 (silicone polysiloxane polydimethyl\$1siloxane polyorganosiloxane organopolysiloxane) and ("25" "50" "120" "100" (low near3 temperature)) near3 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:45 |
| S17 | 2 | (fluoropolymer fluoro resin fluoroelastomer) and (curing cross\$1link\$3) near3 amino near3 (silicone polysiloxane polydimethyl\$1siloxane polyorganosiloxane organopolysiloxane) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:47 |
| S18 | 1 | fuser and (curing cross\$1link\$3) near3 amino near3 (silicone polysiloxane polydimethyl\$1siloxane polyorganosiloxane organopolysiloxane) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:48 |
| S19 | 37 | ((curing cross\$1linking) near agent) curative cross\$1linker) near3 amino near3 (silicone polysiloxane polydimethyl\$1siloxane polyorganosiloxane organopolysiloxane) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:50 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S20 | 2 | (fluoropolymer fluoro resin fluoroelastomer viton THv (vinyliden near fluoride) hexafluoropropylene fuser) and S19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:54 |
| S21 | 2 | (fluoropolymer fluororubber fluoro resin fluoroelastomer viton THv (vinyliden near fluoride) hexafluoropropylene fuser) and S19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/01 20:54 |
| S22 | 2 | "4272179".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 08:34 |
| S23 | 205 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinyliden near fluoride) hexafluoropropylene) and bisphenol and ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 09:25 |
| S24 | 7 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and bisphenol near9 ("25" "50" "120" "100" low) near3 temperature near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 09:46 |
| S25 | 174 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinyliden near fluoride) hexafluoropropylene) and bisphenol same ("25" "50" "120" "100" low) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 09:25 |
| S26 | 113 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinyliden near fluoride) hexafluoropropylene) and bisphenol same ("25" "50" "120" "100") near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 09:26 |
| S27 | 84 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinyliden near fluoride) hexafluoropropylene) and bisphenol near15 ("25" "50" "120" "100") near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 09:41 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S28 | 7 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and bisphenol near9 ("25" "50" "120" "100" low) near3 (temperature degree fahrenheit celsius centigrade) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 09:52 |
| S29 | 0 | S28 not S24 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 09:52 |
| S30 | 30 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and bisphenol same ("25" "50" "120" "100" low) near3 (temperature degree fahrenheit celsius centigrade) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 10:01 |
| S31 | 306 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and bisphenol and ("25" "50" "120" "100" low) near3 (temperature degree fahrenheit celsius centigrade) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 10:30 |
| S33 | 62 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and (((curing cross\$1linking) near3 agent) cross\$1linker) near9 bisphenol and ("25" "50" "120" "100" low) near3 (temperature degree fahrenheit celsius centigrade) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 12:12 |
| S36 | 49 | S33 not S30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 10:59 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S37 | 41 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and (((curing cross\$1linking) near3 agent) cross\$1linker) near9 bisphenol and ((("25" "70" "90" "50" "120" "100") near3 (degree fahrenheit celsius centigrade)) (low near temperature)) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:08 |
| S40 | 41 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and (((curing cross\$1linking) near3 agent) cross\$1linker) near9 bisphenol and ((("25" "70" "90" "50" "120" "100") near3 (degree fahrenheit celsius centigrade)) (low near temperature)) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:23 |
| S41 | 299 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and (((curing cross\$1linking) near3 agent) cross\$1linker) near9 bisphenol and ((("25" "70" "90" "50" "120" "100") near3 (degree fahrenheit celsius centigrade)) heat\$3 thermal\$4 (low near temperature)) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:23 |
| S42 | 299 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and (((curing cross\$1linking) near3 agent) cross\$1linker) near9 bisphenol and ((("25" "70" "90" "50" "120" "100") near3 (degree fahrenheit celsius centigrade temperature)) heat\$3 thermal\$4 (low near temperature)) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:24 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S43 | 306 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and (((curing cross\$1linking) near3 agent) cross\$1linker) near9 bisphenol and (((("25" "70" "90" "50" "120" "100") near3 (degree fahrenheit celsius centigrade temperature)) heat\$3 thermal\$4 bake baking (low near temperature)) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:25 |
| S44 | 59 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and (((curing cross\$1linking) near3 agent) cross\$1linker) near9 bisphenol same (((("25" "70" "90" "50" "120" "100") near3 (degree fahrenheit celsius centigrade temperature)) heat\$3 thermal\$4 bake baking (low near temperature)) near9 (curing cure cross\$1link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:34 |
| S45 | 18 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and (((curing cross\$1linking) near3 agent) cross\$1linker) near9 bisphenol and antimony near13 (doped alloy) near9 tin near oxide | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:40 |
| S46 | 147 | (fluoropolymer fluoro resin fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and bisphenol and antimony near13 (doped alloy) near9 tin near oxide | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:56 |
| S47 | 129 | S46 not S45 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:39 |
| S48 | 147 | S46 and (curing cure heat\$3 thermal\$4 bake baking cross\$1linking) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:41 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S49 | 40 | (fluoropolymer fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) same (curing cure heat\$3 thermal\$4 bake baking cross\$1linking) and bisphenol and antimony near13 (doped alloy) near9 tin near oxide | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:53 |
| S50 | 2 | "5,061,965".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:51 |
| S51 | 16 | (curing cure heat\$3 thermal\$4 bake baking cross\$1linking) same bisphenol same antimony near13 (doped alloy) near9 tin near oxide | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:55 |
| S52 | 3324 | (curing cure heat\$3 thermal\$4 bake baking cross\$1linking) same bisphenol same (accelerator phosphonium onium) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 15:05 |
| S53 | 456 | (fluoropolymer fluoroelastomer viton THv viton (vinylidene near fluoride) hexafluoropropylene) and S52 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:57 |
| S54 | 524 | (fluoropolymer fluoroelastomer viton THv viton (\$5vinylidene near fluoride) hexafluoropropylene) and S52 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:57 |
| S55 | 423 | (fluoropolymer fluoroelastomer viton THv viton (\$5vinylidene\$1fluoride) hexafluoropropylene) and S52 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 14:57 |
| S56 | 298 | (fluoropolymer fluoroelastomer viton THv viton (\$5vinylidene near fluoride) hexafluoropropylene) same S52 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 15:04 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S57 | 285 | (fluoroelastomer viton THv viton (\$5vinylidene near fluoride) hexafluoropropylene) same S52 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 15:06 |
| S58 | 395 | (curing cure heat\$3 thermal\$4 bake baking cross\$1linking) near9 (low near3 temperature) and bisphenol same (accelerator phosphonium onium) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 15:05 |
| S59 | 85 | (fluoroelastomer viton THv viton (\$5vinylidene near fluoride) hexafluoropropylene) and S58 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:30 |
| S60 | 121 | (PAVLISKO near3 JOSEPH).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:32 |
| S61 | 960 | (ANDERSON near3 CHARLES).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:32 |
| S62 | 106 | (LANCASTER near3 ROBERT).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:32 |
| S63 | 1129 | S60 S61 S62 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:36 |
| S64 | 21034 | (EASTMAN near3 KODAK near3 COMPANY).as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:36 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S65 | 1183 | (NEXPRESS near3 SOLUTIONS).as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:36 |
| S66 | 23130 | S63 S64 S65 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:37 |
| S67 | 1006 | S66 and fuser | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:40 |
| S68 | 105 | S66 and fuser and low near3 temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:37 |
| S69 | 772 | S66 and fuser and ((low near3 temperature) "50" "120") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:38 |
| S70 | 162 | S69 and fluorocarbon | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:38 |
| S71 | 124 | S66 and (fuser and (process method)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:43 |
| S72 | 44 | S66 and (fuser and (process method) and coat\$3).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:45 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S73 | 5 | S66 and (fuser and (process method) and coat\$3 and (fluorocarbon fluorinated)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:51 |
| S74 | 51 | S66 and ((process method) and coat\$3 and (fluorocarbon fluorinated)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/05 16:52 |